

**Male' Water & Sewerage Company Pvt Ltd****Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv

**WATER QUALITY TEST REPORT**

Report No: 500196797

**Customer Information:**

CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: 10/07/2023

Test Requisition Form No: 900198038

Sample(s) Recieved Date: 04/07/2023

Date of Analysis: 05/07/2023 - 05/07/2023

Sample Description ~	W2/Gulhifalhu N	W5/ Gulhifalhu NE	W7/ Gulhifalhu SE	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83240399	83240400	83240401		
Sampled Date ~	02/07/2023 10:03 AM	02/07/2023 09:15 AM	02/07/2023 09:28 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Sofa  
 Senior Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.

This report shall not be reproduced except in full, without written approval of MWSC.

This test report is ONLY FOR THE SAMPLES TESTED.

~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500196797

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **10/07/2023**  
 Test Requisition Form No: **900198038**  
 Sample(s) Recieved Date: **04/07/2023**  
 Date of Analysis: **05/07/2023 - 05/07/2023**

Sample Description ~	W10/ Hans Hass Place	W11/Gulhifalhu SW	SW14/Gulhifalhu Lagoon	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83240402	83240403	83240404		
Sampled Date ~	02/07/2023 09:39 AM	02/07/2023 09:46 AM	02/07/2023 09:57 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Sofa  
 Senior Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500196797

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **10/07/2023**  
 Test Requisition Form No: **900198038**  
 Sample(s) Recieved Date: **04/07/2023**  
 Date of Analysis: **05/07/2023 - 05/07/2023**

Sample Description ~	W15/Villingili NW	W16/Bodugiri N	W18/Centara N	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83240405	83240406	83240407		
Sampled Date ~	02/07/2023 09:22 AM	02/07/2023 10:14 AM	02/07/2023 10:44 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Sofa  
 Senior Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500196797

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **10/07/2023**  
 Test Requisition Form No: **900198038**  
 Sample(s) Recieved Date: **04/07/2023**  
 Date of Analysis: **05/07/2023 - 05/07/2023**

Sample Description ~	W19/Giravaru Kuda Haa	W25/North Male' Atoll	W27/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83240408	83240409	83240410		
Sampled Date ~	02/07/2023 10:52 AM	02/07/2023 11:35 AM	02/07/2023 12:11 PM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Sofa  
 Senior Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500196797

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **10/07/2023**  
 Test Requisition Form No: **900198038**  
 Sample(s) Recieved Date: **04/07/2023**  
 Date of Analysis: **05/07/2023 - 05/07/2023**

Sample Description ~	W38/North Male' Atoll	W40/North Male' Atoll	W47/Dhoonidhoo W	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83240411	83240412	83240413		
Sampled Date ~	02/07/2023 11:08 AM	02/07/2023 10:20 AM	02/07/2023 12:34 PM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Sofa  
 Senior Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500196797

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **10/07/2023**  
 Test Requisition Form No: **900198038**  
 Sample(s) Recieved Date: **04/07/2023**  
 Date of Analysis: **05/07/2023 - 05/07/2023**

Sample Description ~	W50/Kudagiri S	W51/North Male' Atoll	<b>TEST METHOD</b>	<b>UNIT</b>
Sample Type ~	Sea Water	Sea Water		
Sample No	83240414	83240415		
Sampled Date ~	02/07/2023 11:24 AM	02/07/2023 11:45 AM		
PARAMETER	ANALYSIS RESULT			
Physical Appearance	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	6	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Sofa  
 Senior Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

**Male' Water & Sewerage Company Pvt Ltd****Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv

**WATER QUALITY TEST REPORT**

Report No: 500196806

**Customer Information:**

CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: 10/07/2023

Test Requisition Form No: 900198066

Sample(s) Recieved Date: 06/07/2023

Date of Analysis: 06/07/2023 - 06/07/2023

Sample Description ~	W20/Feydhoofinolhu S	W36/Male' W	W45/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83240486	83240487	83240488		
Sampled Date ~	05/07/2023 11:55 AM	05/07/2023 11:25 AM	05/07/2023 11:37 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Sofa  
 Senior Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.

This report shall not be reproduced except in full, without written approval of MWSC.

This test report is ONLY FOR THE SAMPLES TESTED.

~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500196806

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **10/07/2023**  
 Test Requisition Form No: **900198066**  
 Sample(s) Recieved Date: **06/07/2023**  
 Date of Analysis: **06/07/2023 - 06/07/2023**

Sample Description ~	W46/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water		
Sample No	83240489		
Sampled Date ~	05/07/2023 11:44 AM		
PARAMETER	ANALYSIS RESULT		
Physical Appearance	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Sofa  
 Senior Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

\*\*\*\*\* END OF REPORT \*\*\*\*\*