

**Male' Water & Sewerage Company Pvt Ltd****Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv

**WATER QUALITY TEST REPORT**

Report No: 500197129

**Customer Information:**

CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: 01/08/2023

Test Requisition Form No: 900198254

Sample(s) Recieved Date: 25/07/2023

Date of Analysis: 25/07/2023 - 25/07/2023

Sample Description ~	W2/Gulhifalhu N	W5/Gulhifalhu NE	W7/Gulhifalhu SE	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241141	83241142	83241143		
Sampled Date ~	24/07/2023 01:08 PM	24/07/2023 01:40 PM	24/07/2023 01:31 PM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	5	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha  
 Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.

This report shall not be reproduced except in full, without written approval of MWSC.

This test report is ONLY FOR THE SAMPLES TESTED.

~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500197129

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **01/08/2023**  
 Test Requisition Form No: **900198254**  
 Sample(s) Recieved Date: **25/07/2023**  
 Date of Analysis: **25/07/2023 - 25/07/2023**

Sample Description ~	W10/Hans Hass Place	W11/Gulhifalhu SW	W14/Gulhifalhu Lagoon	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241144	83241145	83241146		
Sampled Date ~	24/07/2023 01:23 PM	24/07/2023 01:18 PM	24/07/2023 01:03 PM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	6	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha  
 Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500197129

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **01/08/2023**  
 Test Requisition Form No: **900198254**  
 Sample(s) Recieved Date: **25/07/2023**  
 Date of Analysis: **25/07/2023 - 25/07/2023**

Sample Description ~	W15/Villingili NW	W16/Bodugiri N	W18/Centara N	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241147	83241149	83241150		
Sampled Date ~	24/07/2023 01:46 PM	24/07/2023 12:51 PM	24/07/2023 12:02 PM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	6	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha  
 Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500197129

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **01/08/2023**  
 Test Requisition Form No: **900198254**  
 Sample(s) Recieved Date: **25/07/2023**  
 Date of Analysis: **25/07/2023 - 25/07/2023**

Sample Description ~	W19/Giravaru Kuda Haa	W20/Feydhoofinolhu S	W25/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241151	83241152	83241153		
Sampled Date ~	24/07/2023 12:13 PM	24/07/2023 11:08 AM	24/07/2023 11:33 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	7	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha  
 Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500197129

**Customer Information:**

CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **01/08/2023**  
 Test Requisition Form No: **900198254**  
 Sample(s) Recieved Date: **25/07/2023**  
 Date of Analysis: **25/07/2023 - 25/07/2023**

Sample Description ~	W27/North Male' Atoll	W36/Male' W	W38/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241154	83241155	83241156		
Sampled Date ~	24/07/2023 10:43 AM	24/07/2023 09:50 AM	24/07/2023 12:23 PM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	6	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha  
 Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500197129

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **01/08/2023**  
 Test Requisition Form No: **900198254**  
 Sample(s) Recieved Date: **25/07/2023**  
 Date of Analysis: **25/07/2023 - 25/07/2023**

Sample Description ~	W40/North Male' Atoll	W45/North Male' Atoll	W46/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241157	83241158	83241159		
Sampled Date ~	24/07/2023 12:43 PM	24/07/2023 10:02 AM	24/07/2023 10:10 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	6	6	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha  
 Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

**Male' Water & Sewerage Company Pvt Ltd**  
**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives  
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



**WATER QUALITY TEST REPORT**  
 Report No: 500197129

**Customer Information:**  
 CDE Pvt Ltd  
 H.Orchidmaage, 4th Floor  
 Ameeru Ahmed Magu  
 Male K

Report date: **01/08/2023**  
 Test Requisition Form No: **900198254**  
 Sample(s) Recieved Date: **25/07/2023**  
 Date of Analysis: **25/07/2023 - 25/07/2023**

Sample Description ~	W47/Dhoonidhoo W	W50/Kudagiri S	W51/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241161	83241162	83241163		
Sampled Date ~	24/07/2023 10:19 AM	24/07/2023 11:46 AM	24/07/2023 11:21 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	<5 (LoQ 5 mg/L )	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha  
 Laboratory Executive

Approved by

Nihaz A. Zahir  
 Assistant Quality Manager

**Notes:**

Sampling Authority: Sampling was not done by MWSC Laboratory.  
 This report shall not be reproduced except in full, without written approval of MWSC.  
 This test report is ONLY FOR THE SAMPLES TESTED.  
 ~ Information provided by the customer. This information may affect the validity of the test results.

\*\*\*\*\* END OF REPORT \*\*\*\*\*