

Male' Water & Sewerage Company Pvt Ltd**Water Quality Assurance Laboratory**

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv

**WATER QUALITY TEST REPORT**

Report No: 500197187

Customer Information:

CDE Pvt Ltd
 H.Orchidmaage, 4th Floor
 Ameeru Ahmed Magu
 Male K

Report date: 02/08/2023

Test Requisition Form No: 900198289

Sample(s) Recieved Date: 02/08/2023

Date of Analysis: 02/08/2023 - 02/08/2023

Sample Description ~	W2/Gulhifalhu N	W5/Gulhifalhu NE	W7/Gulhifalhu SE	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241248	83241249	83241250		
Sampled Date ~	31/07/2023 11:53 AM	31/07/2023 11:53 AM	31/07/2023 11:53 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L)	<5 (LoQ 5 mg/L)	6	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha
 Laboratory Executive

Approved by

Nihaz A. Zahir
 Assistant Quality Manager

Notes:

Sampling Authority: Sampling was not done by MWSC Laboratory.

This report shall not be reproduced except in full, without written approval of MWSC.

This test report is ONLY FOR THE SAMPLES TESTED.

~ Information provided by the customer. This information may affect the validity of the test results.

Male' Water & Sewerage Company Pvt Ltd
Water Quality Assurance Laboratory

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



WATER QUALITY TEST REPORT
 Report No: 500197187

Customer Information:
 CDE Pvt Ltd
 H.Orchidmaage, 4th Floor
 Ameeru Ahmed Magu
 Male K

Report date: **02/08/2023**
 Test Requisition Form No: **900198289**
 Sample(s) Recieved Date: **02/08/2023**
 Date of Analysis: **02/08/2023 - 02/08/2023**

Sample Description ~	W10/Hans Hass Place	W11/Gulhifalhu SW	W14/Gulhifalhu Lagoon	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241251	83241252	83241253		
Sampled Date ~	31/07/2023 11:53 AM	31/07/2023 11:53 AM	31/07/2023 11:53 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L)	<5 (LoQ 5 mg/L)	5	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha
 Laboratory Executive

Approved by

Nihaz A. Zahir
 Assistant Quality Manager

Notes:

Sampling Authority: Sampling was not done by MWSC Laboratory.
 This report shall not be reproduced except in full, without written approval of MWSC.
 This test report is ONLY FOR THE SAMPLES TESTED.
 ~ Information provided by the customer. This information may affect the validity of the test results.

Male' Water & Sewerage Company Pvt Ltd
Water Quality Assurance Laboratory

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



WATER QUALITY TEST REPORT
 Report No: 500197187

Customer Information:

CDE Pvt Ltd
 H.Orchidmaage, 4th Floor
 Ameeru Ahmed Magu
 Male K

Report date: **02/08/2023**
 Test Requisition Form No: **900198289**
 Sample(s) Recieved Date: **02/08/2023**
 Date of Analysis: **02/08/2023 - 02/08/2023**

Sample Description ~	W15/Villingili NW	W16/Bodugiri N	W18/Centara N	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241254	83241255	83241256		
Sampled Date ~	31/07/2023 11:53 AM	31/07/2023 11:53 AM	31/07/2023 11:53 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L)	7	5	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha
 Laboratory Executive

Approved by

Nihaz A. Zahir
 Assistant Quality Manager

Notes:

Sampling Authority: Sampling was not done by MWSC Laboratory.
 This report shall not be reproduced except in full, without written approval of MWSC.
 This test report is ONLY FOR THE SAMPLES TESTED.
 ~ Information provided by the customer. This information may affect the validity of the test results.

Male' Water & Sewerage Company Pvt Ltd
Water Quality Assurance Laboratory

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



WATER QUALITY TEST REPORT
 Report No: 500197187

Customer Information:
 CDE Pvt Ltd
 H.Orchidmaage, 4th Floor
 Ameeru Ahmed Magu
 Male K

Report date: **02/08/2023**
 Test Requisition Form No: **900198289**
 Sample(s) Recieved Date: **02/08/2023**
 Date of Analysis: **02/08/2023 - 02/08/2023**

Sample Description ~	W19/Giravaru Kuda Haa	W20/Feydhoofinolhu S	W25/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241257	83241258	83241259		
Sampled Date ~	31/07/2023 11:53 AM	31/07/2023 11:53 AM	31/07/2023 11:53 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L)	<5 (LoQ 5 mg/L)	9	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha
 Laboratory Executive

Approved by

Nihaz A. Zahir
 Assistant Quality Manager

Notes:

Sampling Authority: Sampling was not done by MWSC Laboratory.
 This report shall not be reproduced except in full, without written approval of MWSC.
 This test report is ONLY FOR THE SAMPLES TESTED.
 ~ Information provided by the customer. This information may affect the validity of the test results.

Male' Water & Sewerage Company Pvt Ltd
Water Quality Assurance Laboratory

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



WATER QUALITY TEST REPORT
 Report No: 500197187

Customer Information:
 CDE Pvt Ltd
 H.Orchidmaage, 4th Floor
 Ameeru Ahmed Magu
 Male K

Report date: **02/08/2023**
 Test Requisition Form No: **900198289**
 Sample(s) Recieved Date: **02/08/2023**
 Date of Analysis: **02/08/2023 - 02/08/2023**

Sample Description ~	W27/North Male' Atoll	W36/Male' W	W38/North Male Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241260	83241261	83241262		
Sampled Date ~	31/07/2023 11:53 AM	31/07/2023 11:53 AM	31/07/2023 11:53 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L)	<5 (LoQ 5 mg/L)	<5 (LoQ 5 mg/L)	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha
 Laboratory Executive

Approved by

Nihaz A. Zahir
 Assistant Quality Manager

Notes:

Sampling Authority: Sampling was not done by MWSC Laboratory.
 This report shall not be reproduced except in full, without written approval of MWSC.
 This test report is ONLY FOR THE SAMPLES TESTED.
 ~ Information provided by the customer. This information may affect the validity of the test results.

Male' Water & Sewerage Company Pvt Ltd
Water Quality Assurance Laboratory

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



WATER QUALITY TEST REPORT
 Report No: 500197187

Customer Information:
 CDE Pvt Ltd
 H.Orchidmaage, 4th Floor
 Ameeru Ahmed Magu
 Male K

Report date: **02/08/2023**
 Test Requisition Form No: **900198289**
 Sample(s) Recieved Date: **02/08/2023**
 Date of Analysis: **02/08/2023 - 02/08/2023**

Sample Description ~	W40/North Male' Atoll	W45/North Male' Atoll	W46/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241263	83241264	83241265		
Sampled Date ~	31/07/2023 11:53 AM	31/07/2023 11:53 AM	31/07/2023 11:53 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	<5 (LoQ 5 mg/L)	<5 (LoQ 5 mg/L)	<5 (LoQ 5 mg/L)	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha
 Laboratory Executive

Approved by

Nihaz A. Zahir
 Assistant Quality Manager

Notes:

Sampling Authority: Sampling was not done by MWSC Laboratory.
 This report shall not be reproduced except in full, without written approval of MWSC.
 This test report is ONLY FOR THE SAMPLES TESTED.
 ~ Information provided by the customer. This information may affect the validity of the test results.

Male' Water & Sewerage Company Pvt Ltd
Water Quality Assurance Laboratory

Quality Assurance Building, 1st Floor, Male' Hingun, Vilimale', Male' City, Maldives
 Tel: +9603323209, Fax: +9603324306, Email: wqa@mwsc.com.mv



WATER QUALITY TEST REPORT
 Report No: 500197187

Customer Information:
 CDE Pvt Ltd
 H.Orchidmaage, 4th Floor
 Ameeru Ahmed Magu
 Male K

Report date: **02/08/2023**
 Test Requisition Form No: **900198289**
 Sample(s) Recieved Date: **02/08/2023**
 Date of Analysis: **02/08/2023 - 02/08/2023**

Sample Description ~	W47/Dhoonidhoo W	W50/Kudagiri S	W51/North Male' Atoll	TEST METHOD	UNIT
Sample Type ~	Sea Water	Sea Water	Sea Water		
Sample No	83241266	83241267	83241268		
Sampled Date ~	31/07/2023 11:53 AM	31/07/2023 11:53 AM	31/07/2023 11:53 AM		
PARAMETER	ANALYSIS RESULT				
Physical Appearance	Clear with particles	Clear with particles	Clear with particles		
Total Suspended Solids	10	6	<5 (LoQ 5 mg/L)	HACH Method 8006	mg/L

Keys: mg/L : Milligram Per Liter

Checked by

Aminath Shahidha
 Laboratory Executive

Approved by

Nihaz A. Zahir
 Assistant Quality Manager

Notes:

Sampling Authority: Sampling was not done by MWSC Laboratory.
 This report shall not be reproduced except in full, without written approval of MWSC.
 This test report is ONLY FOR THE SAMPLES TESTED.
 ~ Information provided by the customer. This information may affect the validity of the test results.

***** END OF REPORT *****